

Table 5. Therapy for Vaginal Candidiasis: Topical Agents

<u>Drug</u>	<u>Formulation</u>	<u>Dosage regimen</u>
*Butoconazole	2% cream	5 g/d x 3 d
	2% cream, slow-release	5g/d x 1d
*Clotrimazole	1% cream	5 g/d x 7-14 d
	100 mg vaginal tablet	1 tablet/d x 7 d
	100 mg vaginal tablet	2 tablet/d x 3 d
	500 mg vg. tab	1 tablet/d x 1 d
*Miconazole	2% cream	5 g/d x 7 d
	100 mg vaginal suppository	1 suppository x 7 d
	200 mg vaginal suppository	1 suppository/d x 3 d
	1200 mg vaginal suppository	1 suppository/d x 1 d
Econazole	150 mg vaginal tablet	1 tablet/d x 3 d
Fenticonazole	2% cream	5 g/d x 7 d
*Tioconazole	2% cream	5 g/d x 3 d
	6.5% cream	5 g/d x 1 d
Terconazole	0.4% cream	5 g/d x 7 d
	0.8% cream	5 g/d x 3 d
	80 mg vaginal suppository	80 mg/d x 3 d
Nystatin	100,000 U vaginal tablet	1 tablet/d x 14 d

-
- = available in at least one form in the United States without a prescription.